



CLASSIC IP



## OUTDOOR UNIT

# WIZARD CLASSIC IP

The Wizard Classic IP is the basic model in our Wizard series. However, make no mistake. It has the same powerful hardware and software inside as its bigger brothers.

However, it has fewer options with only 1, 2, or 3 push buttons. It is ideally suited for industrial purposes because it is so robust.



## SPECIFICATIONS

1. The powerful weatherproof loudspeaker is rated IP65.
2. Aluminium illuminated push button.
3. Housing in anodised aluminium. The support plate is no less than 7 mm thick, which makes it very impact resistant.
4. Microphone is at the bottom, so moisture and wind have no influence.
5. Rear in cast and powder-coated aluminium. The door phone is attached to a stainless-steel wall bracket at the bottom with just 2 screws.

## DIMENSIONS

192x142x39 (HxBxD)

The Wizard Classic IP is only available as a surface mounted model due to its slim design.



Detail of surface mounted model



## OUTDOOR UNIT

# WIZARD CLASSIC IP

The Wizard Classic IP is a no-nonsense door phone that is utterly resistant to vandalism and extreme weather conditions. In fact, it is made of 100% aluminium, which prevent discolouration, corrosion, and rust forming.



### SURFACE MOUNTED DB9701IP

1 button,  
10 destinations



### SURFACE MOUNTED DB9702IP

2 buttons,  
2 x 10 destinations



### SURFACE MOUNTED DB9703IP

3 buttons,  
3 x 10 destinations



### ROBUST HOUSING

The 7-mm thick plate made entirely of aluminium combined with an aluminium cast and powder-coated back piece makes the Wizard Classic IP extremely robust.

The door phone is attached with 2 screws to a stainless-steel wall bracket at the bottom.

**fasttel**

Luxury Door Entry Systems

FASTTEL BELGIUM (Headquarters)

Klipsenstraat 18A, 9160 Lokeren | T +32 (0)9 244 65 20  
info@fasttel.com | www.fasttel.com

FASTTEL NETHERLANDS

Heiligenboom 3, 5066 CB Moergestel | T +31 (0)13 513 65 14  
info@fasttel.nl | www.fasttel.nl